

IN THE CLAIMS

Please amend claims 1 and 4-6, and add claims 8 and 9, as follows:

1. (Currently Amended) A telecommunication terminal apparatus ~~capable of giving~~  
operable for providing a notification using a melody, comprising:

storage means configured to store musical composition data in which a plurality of  
starting points suitable for starting a performance are set;

point register means for storing information indicative of an arbitrary performance  
starting position of the musical composition data; and

musical tone-generating means responsive to an instruction for starting the notification  
using the melody, for reading out the musical composition data from said storage means and for  
reproducing the read\_out musical composition data according to the information indicative of the  
arbitrary performance starting position, stored in said point register means, to thereby start  
generating the melody from the arbitrary performance starting position of the musical  
composition data.

2. (Original) A telecommunication terminal apparatus according to claim 1,  
wherein said musical tone-generating means is responsive to an instruction for ending the  
notification using the melody, for stopping reproducing the musical composition data and for  
writing information indicative of a reproduction stop position of the musical composition data  
having been reproduced and a starting point corresponding to a position closest to the  
reproduction stop position among the plurality of starting points into said point register means.

3. (Original) A telecommunication terminal apparatus according to claim 1,  
wherein said musical tone-generating means is responsive to an instruction for ending the  
notification using the melody, for stopping reproducing the musical composition data and for

writing information indicative of a reproduction stop position of the musical composition data having been reproduced and a starting point corresponding to a rear position closest to the reproduction stop position among the plurality of starting points into said point register means.

4. (Currently Amended) A telecommunication terminal apparatus according to claim 1, wherein said musical tone-generating means is responsive to the instruction for starting the notification using the melody, for generating the melody from a starting point corresponding to a rear position closest to the arbitrary performance starting position stored in said point register means among the plurality of starting points.

5. (Currently Amended) A telecommunication terminal apparatus according to claim 1, wherein one starting point can be selected from among the plurality of starting points, and the selected one starting point is written as the arbitrary performance starting position into said point register means.

6. (Currently Amended) A telecommunication terminal apparatus operable for providing ~~capable of giving~~ a notification using a melody, comprising:

storage means configured to store musical composition data in which a plurality of starting points suitable for starting a performance are set;

point register means for storing information indicative of an arbitrary performance starting position of the musical composition data, said arbitrary performance starting position corresponding to a selected one of said plurality of starting points; and

musical tone-generating means responsive to an instruction for starting the notification using the melody, for dynamically generating the melody from said selected one of the plurality of starting points by reproducing the musical composition data in accordance with the information indicative of the arbitrary performance starting position.

7. (Previously Presented) A telecommunication terminal apparatus according to claim 6, wherein said musical tone-generating means is responsive to an instruction for ending the notification using the melody, and is configured to stop reproducing the musical composition data and to dynamically write, into said point register means, information indicative of a reproduction stop position of the musical composition data and a starting position corresponding to a single one of said plurality of starting points that is closest to the reproduction stop position.

8. (New) A telecommunication terminal apparatus operable for providing a notification using a melody, comprising:

storage means capable of storing musical composition data in which a plurality of starting points suitable for starting performance are set;

point register means for storing information indicative of an arbitrary performance starting position of the musical composition data; and

musical tone-generating means responsive to an instruction for starting the notification using the melody, for reading out the musical composition data from said storage means and for reproducing the read out musical composition data according to the information indicative of the arbitrary performance starting position, stored in said point register means, to thereby start generating the melody from the arbitrary performance starting position of the musical composition data,

wherein said point register means is operable for storing, as the information indicative of the arbitrary performance starting position, a starting point coincident with a performance ending position of the musical composition data among the plurality of starting points set in the musical composition or the closest starting point after the performance ending position among the plurality of starting points.

9. (New) A telecommunication terminal apparatus operable for providing a notification using a melody, comprising:

storage means operable for storing musical composition data in which a plurality of starting points suitable for starting performance are set;

point register means for storing information indicative of an arbitrary performance starting position of the musical composition data; and

musical tone-generating means responsive to an instruction for starting the notification using the melody, for comparing the information indicative of the arbitrary performance starting position stored in the point register means with the plurality of starting points set in the musical composition data, and for detecting the starting point coincident with the performance ending position among the plurality of starting points or the closest starting point after the performance ending position among the plurality of starting points and reproducing the musical composition data according to the detected the starting point, to thereby start generating the melody from the arbitrary performance starting position of the musical composition data,

wherein said point register means is operable for storing, as the information indicative of the arbitrary performance starting position, a performance ending position of the musical composition data which has been reproduced by said musical tone-generating means.

///

///

///

///

///

///